

Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-920 NTAG213 9200000001		ø 20 mm ø 0.79 in NEL	dry	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-920 NTAG213 9200000010		ø 20 mm ø 0.79 in NEL	wet	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-920 NTAG213 9200000011		ø 20 mm ø 0.79 in NEL	paper-face	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-920 NTAG213 9200000006		ø 20 mm ø 0.79 in NEL	plastic-face	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-930 NTAG213 9300000001		ø 30 mm ø 1.18 in NEL	dry	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-930 NTAG213 9300000010		ø 30 mm ø 1.18 in NEL	wet	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	


Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-930 NTAG213 93000000011		ø 30 mm ø 1.18 in NEL	paper-face	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-930 NTAG213 93000000006		ø 30 mm ø 1.18 in NEL	plastic-face	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-920 EM4332 92000000007		ø 20 mm ø 0.79 in NEL	dry	EM EM4332	Anti-Counterfeiting, Brand Protection, Customer Experience, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-920 EM4332 92000000008		ø 20 mm ø 0.79 in NEL	wet	EM EM4332	Anti-Counterfeiting, Brand Protection, Customer Experience, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-920 EM4332 92000000009		ø 20 mm ø 0.79 in NEL	plastic-face	EM EM4332	Anti-Counterfeiting, Brand Protection, Customer Experience, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-930 EM4332 93000000007		ø 30 mm ø 1.18 in NEL	dry	EM EM4332	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	

Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-930 EM4332 9300000008		ø 30 mm ø 1.18 in NEL	wet	EM EM4332	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-930 EM4332 9300000009		ø 30 mm ø 1.18 in NEL	plastic-face	EM EM4332	Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-919 NTAG213 9100000004		11 x 19 mm 0.43 x 0.75 in NEL	dry	NXP NTAG213	Brand Protection, Consumer Electronics, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-919 NTAG213 9100000005		11 x 19 mm 0.43 x 0.75 in NEL	wet	NXP NTAG213	Brand Protection, Consumer Electronics, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-919 NTAG213 9100000006		11 x 19 mm 0.43 x 0.75 in NEL	paper-face	NXP NTAG213	Brand Protection, Consumer Electronics, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging	
EOS-970 NTAG213 9700000011		45 x 76 mm 1.77 x 2.99 in NEL	dry	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	






Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-970 NTAG213 9700000012		45 x 76 mm 1.77 x 2.99 in NEL	wet	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-970 NTAG213 9700000014		45 x 76 mm 1.77 x 2.99 in NEL	paper-face	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-970 NTAG213 9700000013		45 x 76 mm 1.77 x 2.99 in NEL	plastic-face	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-932 NTAG213 9300000024		14 x 31 mm 0.55 x 1.22 in NEL	dry	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-932 NTAG213 9300000025		14 x 31 mm 0.55 x 1.22 in NEL	wet	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-932 NTAG213 9300000026		14 x 31 mm 0.55 x 1.22 in NEL	paper-face	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	


Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-940 NTAG213 9400000007		47 x 47 mm 1.85 x 1.85 in NEL	dry	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-940 NTAG213 9400000008		47 x 47 mm 1.85 x 1.85 in NEL	wet	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-940 NTAG213 9400000009		47 x 47 mm 1.85 x 1.85 in NEL	paper-face	NXP NTAG213	Brand Protection, Customer Experience, Product Authentication, Smart Packaging	
EOS-917 NTAG213 9100000021		8.5 x 17 mm 0.33 x 0.67 in NEL	dry	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-917 NTAG213 9100000022		8.5 x 17 mm 0.33 x 0.67 in NEL	wet	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-917 NTAG213 9100000023		8.5 x 17 mm 0.33 x 0.67 in NEL	paper-face	NXP NTAG213	Brand Protection, Customer Experience, Entertainment & Gaming, Item Level Tagging, Product Authentication, Smart Packaging	




Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-920 Seal I3 TT 9200000019		50 x 20 mm 1.97 x 0.79 in NEL	dry	NXP ICODE 3 TT	Brand Protection, Customer Experience, Food & Beverage, Product Authentication, Smart Packaging	
EOS-920 Seal I3 TT 9200000020		50 x 20 mm 1.97 x 0.79 in NEL	wet	NXP ICODE 3 TT	Brand Protection, Customer Experience, Food & Beverage, Product Authentication, Smart Packaging	
EOS-920 Seal I3 TT 9200000021		50 x 20 mm 1.97 x 0.79 in NEL	paper-face	NXP ICODE 3 TT	Brand Protection, Customer Experience, Food & Beverage, Product Authentication, Smart Packaging	
EOS-925 Seal FA NTAG213 9200000016		ø 25 mm ø 0.98 in NEL	dry		Brand Protection, Customer Experience, Food & Beverage, Product Authentication, Smart Packaging	
EOS-925 Seal FA NTAG213 9200000017		ø 25 mm ø 0.98 in NEL	wet		Brand Protection, Customer Experience, Food & Beverage, Product Authentication, Smart Packaging	
EOS-925 Seal FA NTAG213 9200000018		ø 25 mm ø 0.98 in NEL	paper-face		Brand Protection, Customer Experience, Food & Beverage, Product Authentication, Smart Packaging	

Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-909 NTAG213 9000000001		ø 9 mm ø 0.35 in WEL	dry	NXP NTAG213	Customer Experience, Item Level Tagging, Inventory Visibility, Smart Packaging, Supply Chain Management	
EOS-909 NTAG213 9000000002		ø 9 mm ø 0.35 in WEL	wet	NXP NTAG213	Customer Experience, Item Level Tagging, Inventory Visibility, Smart Packaging, Supply Chain Management	
EOS-909 NTAG213 9000000003		ø 9 mm ø 0.35 in WEL	paper-face	NXP NTAG213	Customer Experience, Item Level Tagging, Inventory Visibility, Smart Packaging, Supply Chain Management	
EOS-931 I3 93000000045		ø 33 mm ø 1.30 in NEL	dry	NXP ICODE 3	Brand Protection, Customer Experience, Item Level Tagging, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-931 I3 93000000046		ø 33 mm ø 1.30 in NEL	wet	NXP ICODE 3	Brand Protection, Customer Experience, Item Level Tagging, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-931 I3 93000000047		ø 33 mm ø 1.30 in NEL	paper-face	NXP ICODE 3	Brand Protection, Customer Experience, Item Level Tagging, Inventory Visibility, Product Authentication, Smart Packaging	

Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-940 I3 9400000012		47 x 47 mm 1.85 x 1.85 in NEL	dry	NXP ICODE 3	Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Supply Chain Management	
EOS-940 I3 9400000013		47 x 47 mm 1.85 x 1.85 in NEL	wet	NXP ICODE 3	Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Supply Chain Management	
EOS-940 I3 9400000014		47 x 47 mm 1.85 x 1.85 in NEL	plastic-face	NXP ICODE 3	Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Supply Chain Management	
EOS-912 I3 9100000024		ø 12 mm ø 0.47 in	dry	NXP ICODE 3	Brand Protection, Beauty & Cosmetics, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-912 I3 9100000025		ø 12 mm ø 0.47 in	wet	NXP ICODE 3	Brand Protection, Beauty & Cosmetics, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-912 I3 9100000026		ø 12 mm ø 0.47 in	paper-face	NXP ICODE 3	Brand Protection, Beauty & Cosmetics, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	

Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-932 MIFARE® UL EV1 9300000023		14 x 31 mm 0.55 x 1.22 in NEL	dry	NXP MIFARE UL EV1	Brand Protection, Beauty & Cosmetics, Consumer Electronics, Customer Experience, Hospitality & Leisure, Smart Packaging	
EOS-650 EM4425 6500000005		50 x 30 mm 1.97 x 1.18 in WEL	wet	EM EM4425-V12	Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-650 EM4425 6500000006		50 x 30 mm 1.97 x 1.18 in WEL	paper-face	EM EM4425-V12	Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-650 EM4425 6500000007		50 x 30 mm 1.97 x 1.18 in WEL	dry	EM EM4425-V12	Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-620 Seal EM4425 6200000004		132 x 28.45 mm 5.20 x 1.12 in WEL	dry	EM EM4425-V12	Anti-Counterfeiting, Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	
EOS-620 Seal EM4425 6200000003		132 x 28.45 mm 5.20 x 1.12 in WEL	wet	EM EM4425-V12	Anti-Counterfeiting, Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Smart Packaging	



Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-920 I3 9200000030		ø 20 mm ø 0.79 in NEL	dry	NXP ICODE 3	Brand Protection, Customer Experience, Entertainment & Gaming, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-920 I3 9200000031		ø 20 mm ø 0.79 in NEL	wet	NXP ICODE 3	Brand Protection, Customer Experience, Entertainment & Gaming, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-920 I3 9200000032		ø 20 mm ø 0.79 in NEL	paper-face	NXP ICODE 3	Brand Protection, Customer Experience, Entertainment & Gaming, Item Level Tagging, Product Authentication, Smart Packaging	
EOS-916 I3 9100000030	 EOS916-23-1	15 x 15 mm 0.59 x 0.59 in WEL	dry	NXP ICODE 3	Brand Protection, Customer Experience, Item Level Tagging, Smart Packaging	
EOS-916 I3 9100000031	 EOS916-23-1	15 x 15 mm 0.59 x 0.59 in WEL	paper-face	NXP ICODE 3	Brand Protection, Customer Experience, Item Level Tagging, Smart Packaging	
EOS-916 I3 9100000032	 EOS916-23-1	15 x 15 mm 0.59 x 0.59 in WEL	wet	NXP ICODE 3	Brand Protection, Customer Experience, Item Level Tagging, Smart Packaging	

Your Product Selection

[Open your product selection in a browser.](#)

Product Name Product Code	Antenna Design	Antenna Size Antenna Alignment	Delivery Format	IC	Applications	ARC Specification
EOS-925 ST25TV 9200000054		ø 25 mm ø 0.98 in WEL	dry	STM ST25TV512C	Anti-Counterfeiting, Beauty & Cosmetics, Consumer Electronics, Customer Experience, Entertainment & Gaming, Item Level Tagging	
EOS-931 ST25TV 9300000074		ø 33 mm ø 1.30 in WEL	dry	STM ST25TV512C	Anti-Counterfeiting, Beauty & Cosmetics, Consumer Electronics, Customer Experience, Entertainment & Gaming, Item Level Tagging	

Your Product Selection

[Open your product selection in a browser.](#)

Product Name	Antenna Alignment
Product Code	Inlay Across
Frequency	Market Segment
EOS Zero™	Application Area
Product Family	ARC Specification
FSC® Certification	International Standard
IC	User Memory
Delivery Format	EPC Memory
Antenna Size	Operating
Die-Cut / Finish	Temperature
Size	

Contact:

Tageos SAS (HQ) . 1340 rue de Pinville . 34000 Montpellier . France . sales@tageos.com . www.tageos.com

© 2026 Tageos All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is registered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.