# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-940 SLIX2<br>9400000001 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | dry | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |
| EOS-940 SLIX2<br>9400000002 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | wet | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |
| EOS-940 SLIX2<br>9400000004 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | paper-face | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |
| EOS-940 SLIX2<br>9400000003 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | plastic-face | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |
| EOS-970 SLIX2<br>9700000001 |  | 45 x 76 mm<br>1.77 x 2.99 in<br>NEL | dry | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |
| EOS-970 SLIX2<br>9700000002 |  | 45 x 76 mm<br>1.77 x 2.99 in<br>NEL | wet | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |

# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-970 SLIX2<br>9700000003 |  | 45 x 76 mm<br>1.77 x 2.99 in<br>NEL | paper-face | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |
| EOS-970 SLIX2<br>9700000004 |  | 45 x 76 mm<br>1.77 x 2.99 in<br>NEL | plastic-face | NXP ICODE SLIX2 | Brand Protection, Food & Beverage, Product Authentication, Supply Chain Management | |
| EOS-920 NTAG213<br>9200000001 |  | ø 20 mm<br>ø 0.79 in<br>NEL | dry | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-920 NTAG213<br>9200000010 |  | ø 20 mm<br>ø 0.79 in<br>NEL | wet | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-920 NTAG213<br>9200000011 |  | ø 20 mm<br>ø 0.79 in<br>NEL | paper-face | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-920 NTAG213<br>9200000006 |  | ø 20 mm<br>ø 0.79 in<br>NEL | plastic-face | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |

# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-930 NTAG213<br>9300000001 |  | ø 30 mm<br>ø 1.18 in<br>NEL | dry | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-930 NTAG213<br>9300000010 |  | ø 30 mm<br>ø 1.18 in<br>NEL | wet | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-930 NTAG213<br>9300000011 |  | ø 30 mm<br>ø 1.18 in<br>NEL | paper-face | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-930 NTAG213<br>9300000006 |  | ø 30 mm<br>ø 1.18 in<br>NEL | plastic-face | NXP NTAG213 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-930 EM4332<br>9300000007 |  | ø 30 mm<br>ø 1.18 in<br>NEL | dry | EM EM4332 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-930 EM4332<br>9300000008 |  | ø 30 mm<br>ø 1.18 in<br>NEL | wet | EM EM4332 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |

# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-930 EM4332<br>9300000009 |  | ø 30 mm<br>ø 1.18 in<br>NEL | plastic-face | EM EM4332 | Brand Protection, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-931 SLIX2<br>9300000013 |  | ø 33 mm<br>ø 1.30 in<br>NEL | dry | NXP ICODE SLIX2 | Item Level Tagging, Inventory Visibility, Supply Chain Management, Track & Trace | |
| EOS-931 SLIX2<br>9300000014 |  | ø 33 mm<br>ø 1.30 in<br>NEL | wet | NXP ICODE SLIX2 | Item Level Tagging, Inventory Visibility, Supply Chain Management, Track & Trace | |
| EOS-931 SLIX2<br>9300000015 |  | ø 33 mm<br>ø 1.30 in<br>NEL | paper-face | NXP ICODE SLIX2 | Item Level Tagging, Inventory Visibility, Supply Chain Management, Track & Trace | |
| EOS-931 SLIX2<br>9300000016 |  | ø 33 mm<br>ø 1.30 in<br>NEL | plastic-face | NXP ICODE SLIX2 | Item Level Tagging, Inventory Visibility, Supply Chain Management, Track & Trace | |
| EOS-990 SLIX2<br>9900000001 |  | ø 110 mm<br>ø 4.33 in | dry | NXP ICODE SLIX2 | Item Level Tagging, Inventory Visibility, Parts Management | |

# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-990 SLIX2<br>9900000002 |  | ø 110 mm<br>ø 4.33 in | wet | NXP ICODE SLIX2 | Item Level Tagging, Inventory Visibility, Parts Management | |
| EOS-919 NTAG213<br>9100000004 |  | 11 x 19 mm<br>0.43 x 0.75 in<br>NEL | dry | NXP NTAG213 | Brand Protection, Consumer Electronics, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-919 NTAG213<br>9100000005 |  | 11 x 19 mm<br>0.43 x 0.75 in<br>NEL | wet | NXP NTAG213 | Brand Protection, Consumer Electronics, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-919 NTAG213<br>9100000006 |  | 11 x 19 mm<br>0.43 x 0.75 in<br>NEL | paper-face | NXP NTAG213 | Brand Protection, Consumer Electronics, Customer Experience, Entertainment & Gaming, Product Authentication, Smart Packaging | |
| EOS-932 NTAG213<br>9300000024 |  | 14 x 31 mm<br>0.55 x 1.22 in<br>NEL | dry | NXP NTAG213 | Brand Protection, Customer Experience, Product Authentication, Smart Packaging | |
| EOS-932 NTAG213<br>9300000025 |  | 14 x 31 mm<br>0.55 x 1.22 in<br>NEL | wet | NXP NTAG213 | Brand Protection, Customer Experience, Product Authentication, Smart Packaging | |

# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-932 NTAG213<br>9300000026 |  | 14 x 31 mm<br>0.55 x 1.22 in<br>NEL | paper-face | NXP NTAG213 | Brand Protection, Customer Experience, Product Authentication, Smart Packaging | |
| EOS-940 NTAG213<br>9400000007 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | dry | NXP NTAG213 | Brand Protection, Customer Experience, Product Authentication, Smart Packaging | |
| EOS-940 NTAG213<br>9400000008 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | wet | NXP NTAG213 | Brand Protection, Customer Experience, Product Authentication, Smart Packaging | |
| EOS-940 NTAG213<br>9400000009 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | paper-face | NXP NTAG213 | Brand Protection, Customer Experience, Product Authentication, Smart Packaging | |
| EOS-931 I3<br>9300000045 |  | ø 33 mm<br>ø 1.30 in<br>NEL | dry | NXP ICODE 3 | Brand Protection, Customer Experience, Item Level Tagging, Inventory Visibility, Product Authentication, Smart Packaging | |
| EOS-931 I3<br>9300000046 |  | ø 33 mm<br>ø 1.30 in<br>NEL | wet | NXP ICODE 3 | Brand Protection, Customer Experience, Item Level Tagging, Inventory Visibility, Product Authentication, Smart Packaging | |

# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-931 I3<br>9300000047 |  | ø 33 mm<br>ø 1.30 in<br>NEL | paper-face | NXP ICODE 3 | Brand Protection, Customer Experience, Item Level Tagging, Inventory Visibility, Product Authentication, Smart Packaging | |
| EOS-940 I3<br>9400000012 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | dry | NXP ICODE 3 | Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Supply Chain Management | |
| EOS-940 I3<br>9400000013 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | wet | NXP ICODE 3 | Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Supply Chain Management | |
| EOS-940 I3<br>9400000014 |  | 47 x 47 mm<br>1.85 x 1.85 in<br>NEL | plastic-face | NXP ICODE 3 | Brand Protection, Customer Experience, Inventory Visibility, Product Authentication, Supply Chain Management | |
| EOS-511 U9xm<br>5100000008 |  | 122 x 3 mm<br>4.80 x 0.12 in<br>WEL | dry | NXP UCODE 9xm | Item Level Tagging, Inventory Visibility, Supply Chain Management | |
| EOS-511 U9xm<br>5100000009 |  | 122 x 3 mm<br>4.80 x 0.12 in<br>WEL | wet | NXP UCODE 9xm | Item Level Tagging, Inventory Visibility, Supply Chain Management | |

# Your Product Selection

Open your product selection in a browser.

| Product Name<br>Product Code | Antenna Design | Antenna Size<br>Antenna Alignment | Delivery Format | IC | Applications | ARC Specification |
|---|---|---|---|---|---|---|
| EOS-925 ST25TV<br>9200000054 |  | ø 25 mm<br>ø 0.98 in<br>WEL | dry | STM ST25TV512C | Anti-Counterfeiting, Beauty & Cosmetics, Consumer Electronics, Customer Experience, Entertainment & Gaming, Item Level Tagging | |
| EOS-931 ST25TV<br>9300000074 |  | ø 33 mm<br>ø 1.30 in<br>WEL | dry | STM ST25TV512C | Anti-Counterfeiting, Beauty & Cosmetics, Consumer Electronics, Customer Experience, Entertainment & Gaming, Item Level Tagging | |

# Your Product Selection

Open your product selection in a browser.

| | | | |
|---|---|---|---|
| Product Name | | Antenna Alignment | |
| Product Code | | Inlay Across | |
| Frequency | | Market Segment | |
| EOS Zero™ Product Family | | Application Area | |
| FSC® Certification | | ARC Specification | |
| IC | | International Standard | |
| Delivery Format | | User Memory | |
| Antenna Size | | EPC Memory | |
| Die-Cut / Finish Size | | Operating Temperature | |

Contact:

Tageos SAS (HQ) . 1340 rue de Pinville . 34000 Montpellier . France . sales@tageos.com . www.tageos.com

© 2026 Tageos All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is aregistered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.